

P90L Series UPS Price List

*For the most current pricing, visit www.xpcc.com/pricing

Online 1500VA-3000VA

120VAC or 208/230VAC

Online UPS with a powerful charger for extended battery runtimes

- › 98% efficient operation
- › Smart LCD display
- › Multiple communications capability
- › Programmable outlets
- › \$50,000 load protection policy
- › UL, cUL, CE, RoHS, TAA compliant (UPS only)
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P90L Series UPS 120V 50/60Hz

P90L Series have 6A chargers with no internal batteries.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90L-1500	90000912	1250VA/1125W 120V UPS Module with 246W 36V Nominal Charger, 2U	\$1,450.00	5–15P, 6ft	(8) 5–15R	33 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90L-2000	90000913	1700VA/1530W 120V UPS Module with 328W 48V Nominal Charger, 2U	\$1,675.00	5–20P, 6ft	(8) 5–15/20R	35 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90L-3000	90000914	2500VA/2250W 120V UPS Module with 493W 72V Nominal Charger, 2U	\$2,525.00	L5–30P, 6ft	(1) L5–30R + (4) 5–15/20R	47 lbs	17.2" x 25.8" x 3.5" 23.6" x 31.5" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90Lg Series UPS 208/230V 50/60Hz

P90Lg-3000 has a 6A charger with no internal batteries.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90Lg-3000	90000921	3000VA/2400W 208/230V UPS Module with 6A Charger, 2U	\$2,490.00	IEC C19 to L6–20P, 8ft	(1) IEC C19 + (6) IEC C13	47 lbs	17.2" x 25.8" x 3.5" 23.6" x 29.9" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90L Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-BP36	90000915	36V Battery Pack for P90L-1500, 2U	\$920.00	58.1 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90-BP36E	90000923	36V 4 String Extended Battery Pack for P90L-1500, 2U	\$1,320.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"
P90-BP48	90000916	48V Battery Pack for P90L-2000, 2U	\$990.00	74.6 lbs	17.2" x 18.9" x 3.5" 27.6" x 22.2" x 9.45"
P90-BP72	90000917	72V Battery Pack for P90L-3000, P90Lg-3000, 2U	\$1,290.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90Lg Output Cords

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-ZLC20-620R	Locking IEC C20 to 6–15/20R for use with P90Lg-3000	1ft	208/230V	\$79.00	3 lbs
XPC-ZLC20-L620R	Locking IEC C20 to L6–20R for use with P90Lg-3000	1ft	208/230V	\$79.00	3 lbs
XPC-ZLC20-L630R	Locking IEC C20 to L6–30R for use with P90Lg-3000	1ft	208/230V	\$79.00	3 lbs
XPC-C14-615R	IEC C14 to 6–15R for use with P90Lg-3000	1ft	208/230V	\$59.00	3 lbs

P90L Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
P90-RAIL	90000909	4-Post Rail Kit	\$135.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$102.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$160.00	9 lbs	21.5" x 23.3" x 3.5"

P90L Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PV3	90000741	Two Port Internal SNMP Card	\$359.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMPV2*	90000674	Environmental Monitoring Sensor	\$230.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$319.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$120.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMPV2 to be used with SNMP-2PV3

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-1015LV	90000090	Bypass 15A/120VAC for use with P90L-1500	\$379.00	5–15P, 12ft	(10) 5–15R	5–15R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1020LV	90000091	Bypass 20A/120VAC for use with P90L-2000	\$419.00	5–20P, 12ft	(10) 5–20R	5–20R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1030LV	90000093	Bypass 30A/120VAC for use with P90L-3000, P90Lg-3000	\$659.00	L5–30P, 6ft	(10) 5–20R	L5–30R	3.4 lbs	19" x 3.5" x 1.75"
XBDM1020HV2	90000094	Bypass 16A Capacity for use with P90Lg-3000 (Includes (2) IEC C20 C19 Cord Kit)	\$419.00	IEC C20 inlet	(2) IEC C19 + (8) IEC C13	IEC C20	3.5 lbs	19.3" x 3.5" x 1.75"

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD-1415HV	90000041	120V Basic Power Distribution Unit	\$138.00	5–15P, 12ft	(14) 5–15R	3.5 lbs	19.0" x 3.5" x 1.75"
XPD-1420HV	90000045	120V Basic Power Distribution Unit	\$190.00	L5–20P, 12ft or 5–20P with adapter	(14) 5–20R	4.8 lbs	19.0" x 3.5" x 1.75"
XPDU-IEC	90000053	230V Basic Power Distribution Unit for use with P90Lg-3000	\$190.00	IEC C20 inlet	(10) IEC C13 + (2) IEC C19	2.6 lbs	19.0" x 3.5" x 1.75"
XAT-400	90000269	400VA Step Down Transformer 208V to 120V for use with P90Lg-3000	\$600.00	208V IEC C14, 2ft	120V 5–15R, 2ft	8 lbs	7.0" x 6.8" x 5.9"

P90L Service Plans (USA and Canada)

Model	Part Number	Description	List Price
P90L5SP15	90000527	Extended 5 Year Factory Warranty for P90L-1500 UPS	\$370.00
P90L5SP23	90000528	Extended 5 Year Factory Warranty for P90L-2000, P90L-3000, P90Lg-3000 UPS	\$610.00
P90L5SPBP	90000524	Extended 5 Year Factory Warranty for P90-BP36, P90-BP36E, P90-BP48, P90-BP72	\$320.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

P90L Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	P90L-1500 (BP36)		P90L-1500 (BP36E)		P90L-2000 (BP48)		P90L(g)-3000 (BP72)	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%
(1) Battery pack	26	15	63	36	25	14	23	13
(2) Battery packs	63	36	140	90	61	35	58	33
(3) Battery packs	105	61	228	136	102	60	97	56
(4) Battery packs	140	90	322	193	137	88	130	84
(5) Battery packs	183	115	N/A	N/A	179	113	169	107
(6) Battery packs	228	136	N/A	N/A	223	133	211	128
(7) Battery packs	274	164	N/A	N/A	268	160	254	152
(8) Battery packs	322	193	N/A	N/A	314	188	298	178