

TX90 6kVA & 10kVA Series UPS Price List

*For the most current pricing, visit www.xpcc.com/pricing

Isolated Online 6kVA & 10kVA

208VAC Input // 240/120VAC or 208/120VAC Output

Isolated online UPS provides protection from all 10 common power problems

- › Available models: 6kVA/5.4kW, 10kVA/9kW
- › Optional battery runtimes up to 8 hours
- › Maintenance bypass
- › Auto restart
- › Hot swappable internal battery trays
- › Galvanic isolation transformer
- › Configurable outputs
- › UL1778, cUL, FCC Class A, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



TX90 6kVA 208VAC Input - 240/120VAC or 208/120VAC Output Pricing

208/120VAC output consists of one leg of 120V and one leg of 88V (excludes B5 bundles).

Model	Part Number	Description	List Price	Battery	Input Connection	Output Connection	Shipping Weight	Unit Dimensions (W x D x H)
TX90-6K	90000150	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,450.00	(20) 7.2AH	Terminal block	Terminal block	322 lbs	11.4" x 28.0" x 29.5"
TX90-6KXR	90000470	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,550.00	(20) 580W	Terminal block	Terminal block	332 lbs	11.4" x 28.0" x 29.5"
TX90-6KB1##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,130.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 240V outputs* + (4) 5-15/20R	327 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB1##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$9,230.00	(20) 580W	L6-30P, 6ft	(2) Configurable 240V outputs* + (4) 5-15/20R	337 lbs	11.4" x 28.0" x 29.5"
TX90-6KB2##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,130.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 120V outputs* + (4) 5-15/20R	327 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB2##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$9,230.00	(20) 580W	L6-30P, 6ft	(2) Configurable 120V outputs* + (4) 5-15/20R	337 lbs	11.4" x 28.0" x 29.5"
TX90-6KB3	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,130.00	(20) 7.2AH	L6-30P, 6ft	(2) L14-30R + (4) 5-15/20R	329 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB3	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$9,230.00	(20) 580W	L6-30P, 6ft	(2) L14-30R + (4) 5-15/20R	339 lbs	11.4" x 28.0" x 29.5"
TX90-6KB4##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,130.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 240V outputs* + (2) L6-30R	329 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB4##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$9,230.00	(20) 580W	L6-30P, 6ft	(2) Configurable 240V outputs* + (2) L6-30R	339 lbs	11.4" x 28.0" x 29.5"
TX90-6KB5##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,130.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 208V outputs* + (4) 5-15/20R	327 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB5##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$9,230.00	(20) 580W	L6-30P, 6ft	(2) Configurable 208V outputs* + (4) 5-15/20R	337 lbs	11.4" x 28.0" x 29.5"
TX90-6KB6####	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$8,465.00	(20) 7.2AH	L6-30P, 6ft	(4) Configurable 240V outputs* + (8) 5-15/20R	329 lbs	11.4" x 30.0" x 29.5"
TX90-6KXRB6####	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$9,565.00	(20) 580W	L6-30P, 6ft	(4) Configurable 240V outputs* + (8) 5-15/20R	339 lbs	11.4" x 30.0" x 29.5"

*Replace the "##" in the model number with two of the letters shown below. Each configurable output is protected by a 20A breaker.

240V/208V: A. L6-15R; B. L6-20R; C. L6-30R; D. 6-15/20R; **120V:** K. L5-15R; L. L5-20R; M. L5-30R; N. 5-15/20R

For optional voltage configurations add \$300 list (PN:T9VCNFG, see below)

TX90 10kVA 208VAC Input - 240/120VAC or 208/120VAC Output Pricing

208/120VAC output consists of one leg of 120V and one leg of 88V (excludes B5 bundles).

Model	Part Number	Description	List Price	Battery	Input Connection	Output Connection	Shipping Weight	Unit Dimensions (W x D x H)
TX90-10K	90000151	10kVA/9kW Tower UPS with Isolation Transformer	\$11,130.00	(20) 9AH	Terminal block	Terminal block	389 lbs	11.4" x 28.0" x 34.7"
TX90-10KXR	90000471	10kVA/9kW Tower UPS with Isolation Transformer	\$12,230.00	(20) 580W	Terminal block	Terminal block	399 lbs	11.4" x 28.0" x 34.7"
TX90-10KB1##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$11,810.00	(20) 9AH	Terminal block	(2) Configurable 240V outputs* + (4) 5–15/20R	394 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB1##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$12,910.00	(20) 580W	Terminal block	(2) Configurable 240V outputs* + (4) 5–15/20R	404 lbs	11.4" x 28.0" x 34.7"
TX90-10KB2##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$11,810.00	(20) 9AH	Terminal block	(2) Configurable 120V outputs* + (4) 5–15/20R	394 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB2##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$12,910.00	(20) 580W	Terminal block	(2) Configurable 120V outputs* + (4) 5–15/20R	404 lbs	11.4" x 28.0" x 34.7"
TX90-10KB3	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$11,810.00	(20) 9AH	Terminal block	(2) L14–30R + (4) 5–15/20R	396 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB3	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$12,910.00	(20) 580W	Terminal block	(2) L14–30R + (4) 5–15/20R	406 lbs	11.4" x 28.0" x 34.7"
TX90-10KB4##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$11,810.00	(20) 9AH	Terminal block	(2) Configurable 240V outputs* + (2) L6-30R	396 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB4##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$12,910.00	(20) 580W	Terminal block	(2) Configurable 240V outputs* + (2) L6-30R	406 lbs	11.4" x 28.0" x 34.7"
TX90-10KB5##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$11,810.00	(20) 9AH	Terminal block	(2) Configurable 208V outputs* + (4) 5–15/20R	394 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB5##	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$12,910.00	(20) 580W	Terminal block	(2) Configurable 208V outputs* + (4) 5–15/20R	404 lbs	11.4" x 28.0" x 34.7"
TX90-10KB6#####	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$12,315.00	(20) 9AH	Terminal block	(4) Configurable 240V outputs* + (8) 5–15/20R	396 lbs	11.4" x 30.0" x 34.7"
TX90-10KXRB6#####	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$13,415.00	(20) 580W	Terminal block	(4) Configurable 240V outputs* + (8) 5–15/20R	410 lbs	11.4" x 30.0" x 34.7"

*Replace the "##" in the model number with two of the letters shown below. Each configurable output is protected by a 20A breaker.

240V/208V: A. L6–15R; B. L6–20R; C. L6–30R; D. 6–15/20R; **120V:** K. L5–15R; L. L5–20R; M. L5–30R; N. 5–15/20R

For optional voltage configurations add \$300 list (PN:T9VCNFG, see below)

Custom Voltage Configurations

Model	Part Number	Description	List Price
T9VCNFG	90000375	Preconfigure TX90 Transformer and Electronics for Custom Voltage Configuration, Input:Output Voltages Available: 240V:240/120V, 230V:230/115V, 220V:220/110V, 200V:200/100V	\$300.00

TX90 Battery and Charger Options

Battery packs not for use with "XR" models.

Model	Part Number	Description	List Price	Shipping Weight	Unit Dimensions (W x D x H)
T90-EBP920	90000245	Extended Battery Pack for TX90-6K, TX90-10K with (20) 12V 9AH Batteries	\$3,030.00	205 lbs	11.4" x 25.4" x 29.5"
T90-EBP940	90000246	Extended Battery Pack for TX90-6K, TX90-10K with (40) 12V 9AH Batteries	\$4,040.00	324 lbs	11.4" x 25.4" x 29.5"
T90-EBP960	90000247	Extended Battery Pack for TX90-6K, TX90-10K with (60) 12V 9AH Batteries	\$5,169.00	446 lbs	11.4" x 25.4" x 29.5"
T90-240CHG	90000324	1000W Charger for use with TX90-6K, TX90-10K	\$779.00	7 lbs	6.6" x 11.1" x 3.4"

TX90 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-1PIN	90000261	Internal Web/SNMP Card	\$295.00	1 lbs	7.25" x 6.0" x 2.5"
TX90-RELAY	90000299	Relay Dry Contact Interface Card	\$329.00	1 lbs	7.25" x 6.0" x 2.5"
TX90-PK	90000611	Parallel Kit	\$199.00	1 lbs	7.25" x 6.0" x 2.5"

Power Distribution Units

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD31	90000251	30A 240V 2U 19" Basic Rack PDU	\$453.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Rack PDU	\$453.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Rack PDU	\$345.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C14	6.0 lbs	19.0" x 2.4" x 3.5"
XPD34	90000254	30A 240/120V 2U 19" Basic Rack PDU	\$539.00	L14-30P, 6ft	(2) L6-30R + (4) L6-20R + (12) 5-20R	9.5 lbs	19.0" x 4.7" x 3.5"

TX90 Startup/Service Plans (USA and Canada)

On-site service within 100 miles of an Xtreme Power Service Technician. Contact inside sales for locations exceeding 100 miles.

Model	Part Number	Description	List Price
T9OS3610	90000336	On-site 3 Year Service Plan for TX90-6K(XR), TX90-10K(XR)	\$2,600.00
T9OS5610	90000337	On-site 5 Year Service Plan for TX90-6K(XR), TX90-10K(XR)	\$5,900.00
T9SP610	90000453	Extended 5 Year Factory Warranty for TX90-6K(XR), TX90-10K(XR)	\$1,500.00
T9SU58610	90000338	Startup 5 x 8 for first TX90-6K(XR), TX90-10K(XR)	\$1,900.00
T9SU58AD	90000339	Startup 5 x 8 for each additional TX90-6K(XR), TX90-10K(XR)	\$950.00
T9PM610	90000340	Preventative Maintenance visit for first TX90-6K(XR), TX90-10K(XR)	\$1,900.00
T9PMAD	90000341	Preventative Maintenance visit for each additional TX90-6K(XR), TX90-10K(XR)	\$950.00
T9OS3920	90000342	On-site 3 Year Service Plan for T90-EBP920	\$400.00
T9OS5920	90000343	On-site 5 Year Service Plan for T90-EBP920	\$950.00
T9SPBP2	90000454	Extended 5 Year Factory Warranty for T90-EBP920	\$700.00
T9OS3940	90000344	On-site 3 Year Service Plan for T90-EBP940	\$550.00
T9OS5940	90000345	On-site 5 Year Service Plan for T90-EBP940	\$1,250.00
T9SPBP4	90000455	Extended 5 Year Factory Warranty for T90-EBP940	\$1,000.00
T9OS3960	90000346	On-site 3 Year Service Plan for T90-EBP960	\$700.00
T9OS5960	90000347	On-site 5 Year Service Plan for T90-EBP960	\$1,500.00
T9SPBP6	90000456	Extended 5 Year Factory Warranty for T90-EBP960	\$1,300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

On-site 3 Year Service Plan – 3 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

On-site 5 Year Service Plan – 5 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

TX90 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Models	Internal Batteries		EBP920		EBP940		EBP960		(2) EBP940		(2) EBP960		(3) EBP960		(4) EBP960	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
TX90-6K	21	7	61	25	102	42	145	60	192	80	293	121	457	190	634	263
TX90-6KXR	33	14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
TX90-10K	13	4	32	13	54	22	77	32	102	42	155	64	241	100	335	139
TX90-10KXR	18	7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

1. For extended runtimes and detailed requirements, see www.xpcc.com/selector

2. Optional 1000W charger recommended for applications requiring three or more battery packs